

CORPORATION OF THE TOWNSHIP OF
SMITH-ENNISMORE-LAKEFIELD

1310 Centre Line - P.O. Box 270
Bridgenorth, Ontario K0L 1H0

BUILDING & PLANNING DEPARTMENT
Phone: (705) 292-9507 Fax: (705) 292-6491

**APPLICATION TO INSTALL A PRIVATELY OWNED
OUTDOOR SWIMMING POOL AND SWIMMING POOL ENCLOSURE**

APPLICATION/ LOCATION	NAME _____ ADDRESS _____ _____ POSTAL CODE _____ PHONE - RES _____ CELL _____ BUS _____
----------------------------------	--

INSTALLER	NAME _____ ADDRESS _____ _____ POSTAL CODE _____ PHONE - RES _____ CELL _____ BUS _____
------------------	--

POOL	p- INGROUND p - ABOVE GROUND p - VINYL p - FIBREGLASS p - CONCRETE p - WOOD WATER DEPTHS: _____ DEEP END _____ SIZE: _____ X _____ SHALLOW _____ POOL HEATING: p - SOLAR p - GAS p - ELECTRIC
-------------	--

FENCING	<table style="width: 100%;"> <tr> <td style="width: 50%;">TYPE</td> <td style="width: 50%;">HEIGHT</td> </tr> <tr> <td>p - 2" MESH CHAIN LINK</td> <td>p - 4' MINIMUM (WATERFRONT MAXIMUM HEIGHT 4')</td> </tr> <tr> <td>p - WOOD</td> <td>p - 5' COMMERCIAL</td> </tr> <tr> <td>p - METAL</td> <td>p - 6' NON-WATERFRONT</td> </tr> <tr> <td>p - PUMPHOUSE & FILTER</td> <td>p - BUILDING SIZE _____</td> </tr> <tr> <td>p - OTHER (please specify) _____</td> <td></td> </tr> </table>	TYPE	HEIGHT	p - 2" MESH CHAIN LINK	p - 4' MINIMUM (WATERFRONT MAXIMUM HEIGHT 4')	p - WOOD	p - 5' COMMERCIAL	p - METAL	p - 6' NON-WATERFRONT	p - PUMPHOUSE & FILTER	p - BUILDING SIZE _____	p - OTHER (please specify) _____	
TYPE	HEIGHT												
p - 2" MESH CHAIN LINK	p - 4' MINIMUM (WATERFRONT MAXIMUM HEIGHT 4')												
p - WOOD	p - 5' COMMERCIAL												
p - METAL	p - 6' NON-WATERFRONT												
p - PUMPHOUSE & FILTER	p - BUILDING SIZE _____												
p - OTHER (please specify) _____													

FEES	<p style="text-align: center;">CONSTRUCTION VALUE</p> POOL _____ FENCE _____ BUILDING _____ (UNDER 100 S.F.) TOTAL _____	<p style="text-align: center;">DECLARATION</p> THE UNDERSIGNED HEREBY APPLIES FOR THE EXAMINATION AND APPROVAL OF SWIMMING POOL PLANS AND FOR THE INSPECTION OF SUBJECT PROPERTY FOR COMPLIANCE WITH BY-LAW NO. 2001-59. _____ APPLICANT/AGENT SIGNATURE _____ DATE
-------------	---	--

CORPORATION OF THE TOWNSHIP OF
SMITH-ENNISMORE-LAKEFIELD

1310 Centre Line - P.O. Box 270
Bridgenorth, Ontario K0L 1H0

BUILDING & PLANNING DEPARTMENT
Phone: (705) 292-9507 Fax: (705) 292-6491

NOTE: BUILDING PERMITS SHALL BE REQUIRED FOR BUILDINGS OVER 100 SQ. FT. IN AREA
AND DECKS TWO (2) FEET ABOVE GRADE.

APPLICATION TO BE SUBMITTED WITH APPROVED PLANS

CORPORATION OF THE TOWNSHIP OF
SMITH-ENNISMORE-LAKEFIELD

1310 Centre Line - P.O. Box 270
Bridgenorth, Ontario K0L 1H0

BUILDING & PLANNING DEPARTMENT
Phone: (705) 292-9507 Fax: (705) 292-6491

SWIMMING POOL REQUIREMENTS

ALL PLANS MUST SHOW:

- Location of pool in relation to property lines and adjacent buildings.
- Must meet required setbacks:
 - Smith Ward: Must meet zoning setbacks for property as an accessory building.
 - Ennismore Ward: Must be 10 ft. from the rear lot line (Section 5.1.12.ii)
 - Lakefield Ward: Must be 10 ft. from side and rear lot lines (Section 5.1.11.a & b)
- Must be 17 ft. minimum from septic tile bed.
- Full details of all required enclosures in duplicate showing all details of the proposed work.
- Fencing must be a minimum of 4 ft. from pools wetted surface.

ABOVE GROUND POOLS

FENCING NOT REQUIRED IF:

- a) The exterior sides of the pool are 4 ft. above grade level and constructed so that climbing it is not possible.
- b) A guard of a least 3.3 ft. high is provided around any platform or deck and constructed so that climbing it is not possible.
- c) Integral deck or platform shall have a minimum width of 3.3 ft. from the inside wetted wall.
- d) Gates and/or entrances must be protected as per the By-Law.

IN-GROUND POOLS

FENCING REQUIRED AS FOLLOWS:

- Enclosure must be no more than 2 inches above effective grade level to a minimum vertical height of 4 ft.
- Must be a minimum of 4 ft. from any condition which facilitates climbing, unless height of pool enclosure is 5 ft. for a distance of 3.3 ft. on either side of such condition.

FENCING TYPES:

CHAIN LINK:

- Mesh not greater than 2 in. - 12 ga. galvanized.
- Supported by min. 1 1/2 in. galvanized steel posts spaced max. 10 ft. apart and extending 3 ft. below grade for a 4 ft. fence and 4 ft. below grade for a 6 ft. fence.
- Must have top and bottom rails fastened to upright posts, made of 1 1/2 in. galvanized steel pipe.

VERTICAL BOARD FENCE:

- Vertical boards must be 1 in. thick nominal, so that climbing it is not possible from the outside.
- Not less than 1 in. x 4 in. nominal, spaced no more than 1 1/2 in. apart.
- Top and bottom rails must be at least 2 in. x 4 in. nominal dimensions.

GATES:

- Must be of construction and height equivalent or greater than pool enclosure.
- Must be supported on substantial hinges.
- Must be self-closing and self-latching on top and inside.
- Must be equipped with a locking device.
- Entrances to pool must be secured as per Township By-Law.

HOT TUBS, SPAS AND WHIRLPOOLS

- Must have a secure, locking cover.
-